





manufactured in 3m lengths in 0.75 and 1.15  
guage to suit 300, 400, 450, 600 stud centers

Dept.	Technical reference	Created by jack w	24/10/2023			Approved by GT
 <a href="https://www.srpltd.co.nz">https://www.srpltd.co.nz</a> 095790175		Document type	Document status			
		Title facefix structural nog track bend-out tab fixing	DWG No.			
			Rev.	Date of issue	Sheet 1/3	




Manufactured in 3m lengths in 0.75 and 1.15 guage to suit 300, 400, 450, 600 stud centers.

Dept.	Technical reference	Created by jack w	24/10/2023		Approved by GT
 <a href="https://www.srpltd.co.nz">https://www.srpltd.co.nz</a> 095790175		Document type	Document status		
		Title facefix structural nog track direct fixing	DWG No.		
			Rev.	Date of issue	Sheet 2/3



if nog centers change or an extra nog is required the legs may be snipped and folded to accomodate a stud wherever required

Dept.	Technical reference	Created by <b>jack w</b>	24/10/2023	Approved by <b>GT</b>
 <a href="https://www.srpltd.co.nz">https://www.srpltd.co.nz</a> 095790175	Document type		Document status	
	Title <b>facefix structural nog track</b> <b>uneven nog centers</b>		DWG No.	
	Rev.	Date of issue		Sheet <b>3/3</b>